

# EVBox BusinessLine

EVBOX

Firemná nabíjacia stanica

Od 3.7 kW to 22 kW

Nabíja dve autá súčasne

Dostupné s pevnými nabíjacími káblami

Dostupné s Schuko nabíjacími konektormi

Odolná, nenáročná údržba

Ďiaľkové monitorovanie procesov nabíjania

Efektívne distribuuje energiu s vyrovnávaním záťaže

Zahŕňa viacerých dodávateľov softvéru, pre zákaznícku spokojnosť



evbox.c

**Technické vlastnosti**

|                                       |  |
|---------------------------------------|--|
| <b>Nabíjacia kapacita na konektor</b> | 3.7 kW, 7.4 kW, 11 kW, 22 kW   |
| <b>Režim nabíjania</b>                | Mód 3, Z.E. Ready  |
| <b>Typ Konektora</b>                  | Typ 2  |
| <b>Počet konektorov</b>               | 1 alebo 2  |
| <b>CE certifikované</b>               | Áno  |
| <b>Výstupný výkon</b>                 | 1-fáza or 3-fázy, 230V – 400V, 16A a 32A   |
| <b>Teplotný rozsah</b>                | -25°C to +60°C   |
| <b>Vlhkosť</b>                        | Max. 95%   |
| <b>Autorizácia</b>                    | Auto START / RFID karta  |
| <b>Informácia o stave</b>             | LED krúžok   |
| <b>Komunikačný protokol</b>           | GPS / GSM / UMTS / GPRS Modem / regulátor s RFID čítačkou<br>OCPP 1.2, 1.5 and 1.6 |

**Fyzikálne vlastnosti**

|                           |  |
|---------------------------|--|
| <b>Navrhnuté podľa</b>    | IEC 61851-1 (2010), EC 61851-22 (2002)   |
| <b>Ochrana</b>            | IP54, IK10   |
| <b>Inštaláčn é pokyny</b> | EN/IEC 61000-32 (2014), EN/IEC 61000-3-3 (2013)<br>EN/IEC 61000-6-2 (2016), EN/IEC 61000-6-3 (2007) + A1 (2011)<br>EN/IEC 60335-1 (2012) +A13 (2017), EN/IEC 60364-4-41 (2017)<br>EN/IEC 60529-1 (1989) +A1 (1999) + A2 (2013)<br>EN/IEC 60950-1 (2005) + A1 (2009) + A2 (2013)<br>EN/IEC 60950-22 (2017), EN/IEC 61851-1 (2017)<br>EN/IEC 61851-22 (2002), EN/IEC 62196-1 (2014)<br>EN/IEC 62196-2 (2017) |

**Materiál**

|                           |  |
|---------------------------|--|
| <b>Rozmery DxŠxV (mm)</b> | Polykarbonát<br>600 x 255 x 410 mm (dve zásuvka)<br>600 x 255 x 205 mm (jedna zásuvka) |
|---------------------------|--|

**Váha****Montáž****Farby štandard**

|   |
|---|
| 11 kg (max.)  |
| Stena alebo stojan  |
| RAL 5017 (blue), RAL 7016 (Tmavá šedá),<br>RAL 7042 (Svetlá šedá), RAL 9016 (biela) |

Všetky online nabíjacie stanice obsahujú kalkulátor kWh s certifikáciou

Copyright © 2019 EVBox Manufacturing B.V. EVBox® and the EVBox logo are registered trademarks. All rights reserved. EVBox has compiled this document to the best of its knowledge but does not warrant that all information provided is error-free; EVBox does not accept liability in that respect. All specifications are approximates only. The limited warranty conditions are stated in the applicable EVBox general terms and conditions. EVBPI\_HL\_EN\_072019 © EVBox Manufacturing B.V.

EVBox Manufacturing B.V.  
Fred. Roeskestraat 115  
1076 EE Amsterdam  
The Netherlands  
[evbox.com/support](http://evbox.com/support)